

# BAHAMA®

Jumbrella & Jumbrella Wave  
Price List 2020



# Jumbrella | round

in m    **ø 3** 7 m<sup>2</sup> 8 Spokes    **ø 3.5** 9.6 m<sup>2</sup> 8 Spokes    **ø 4** 12 m<sup>2</sup> 8 Spokes    **ø 4.5** 15 m<sup>2</sup> 8 Spokes    **ø 5** 19 m<sup>2</sup> 8 Spokes    **ø 5.6** 24 m<sup>2</sup> 8 Spokes    **ø 6.3** 29 m<sup>2</sup> 8 Spokes    **ø 7** 36 m<sup>2</sup> 8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €					
<b>Umbrella Model and Frame</b>											
1	<b>Jumbrella WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05«   polyester fabric - 25 colors available   according to color chart   printing possible - aluminum frame in traffic white   RAL 9016, glossy finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	1,598	1,698	1,798	2,098	2,448	2,888	3,198	4,098
2	 <b>Jumbrella WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm	1,758	1,878	1,998	2,348	2,718	3,188	3,498	4,478
3	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black						without surcharge			
4	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black						339			
5	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish						339	without surcharge when at least 6 or more umbrellas are ordered under the same purchase order		
6	<b>Resin Components</b> in black	instead of white						without surcharge			
7	 <b>V4A   Maritime Edition</b>	all component parts in V4A off-shore stainless steel						198			
8	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible						129			
9	<b>Umbrella Center Pole Reduction</b>	on request						129			
<b>Umbrella Model and Frame with alternative Textile Membrane</b>											
10	<b>Jumbrella WITHOUT valance</b> »Precontraint 302«	Frame and frame options same as 1–9, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with vinyl coating - 25 colors available   according to color chart   printing possible - B1 certified   flame retardant	fabric weight: approx. 480 g/m <sup>2</sup>	1,790	1,902	2,014	2,350	2,742	3,235	3,582	4,590
11	 <b>Jumbrella WITH valance</b> »Precontraint 302«	same as 10, but with: - straight edged valance	valance height: approx. 30 cm	1,969	2,103	2,238	2,630	3,044	3,571	3,918	5,015
12	<b>Jumbrella WITHOUT valance</b> »Sunvas«	same as 10, however: - textile membrane made of »Sunvas«   polyester fabric - distinctive surface feel   printing is not possible	fabric weight: approx. 310 g/m <sup>2</sup>	1,790	1,902	2,014	2,350	2,742	3,235	3,582	4,590
13	<b>Jumbrella WITHOUT valance</b> »ZebraS, Sunvas striped«	same as 12, however: - striped	fabric weight: approx. 310 g/m <sup>2</sup>	1,969	2,092	2,215	2,585	3,016	3,558	3,940	5,049
<b>Original Bahama Textile Membrane for Replacement</b>											
14	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		518	585	719	847	956	1,175	1,462	2,081
15	<b>WITH valance</b>	made of »betex®05«   polyester fabric		678	765	919	1,097	1,226	1,475	1,762	2,461
16	<b>WITHOUT valance</b>	made of »Precontraint 302«   vinyl coated polyester fabric		710	789	935	1,098	1,250	1,522	1,845	2,573
17	<b>WITH valance</b>	made of »Precontraint 302«   vinyl coated polyester fabric		889	990	1,159	1,378	1,552	1,858	2,181	2,998
18	<b>WITHOUT valance</b>	made of »Sunvas«   polyester fabric		710	789	935	1,098	1,250	1,522	1,845	2,573
19	<b>WITHOUT valance</b>	made of »ZebraS, Sunvas striped«   polyester fabric		781	868	1,028	1,208	1,375	1,674	2,030	2,149
<b>Printing</b>											
20	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)							please refer to separate printing price list		

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

# Jumbrella | square

in m

**3 × 3**  
9 m<sup>2</sup>  
8 Spokes

**3.53 × 3.53**  
12 m<sup>2</sup>  
8 Spokes

**4 × 4**  
16 m<sup>2</sup>  
8 Spokes

**4.5 × 4.5**  
20 m<sup>2</sup>  
8 Spokes

**5 × 5**  
25 m<sup>2</sup>  
8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €
<b>Umbrella Model and Frame</b>								
21	<b>Jumbrella WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05«   polyester fabric - 25 colors available   according to color chart   printing possible - aluminum frame in traffic white   RAL 9016, glossy finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	1,799	2,148	2,319	2,548	3,048
22	 <b>Jumbrella WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 21, but with: - Continuous or split valance possible	valance height: approx. 30 cm	1,999	2,398	2,569	2,818	3,398
23	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black				without surcharge		
24	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black				339		
25	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish				339	without surcharge when at least 6 or more umbrellas are ordered under the same purchase order	
26	<b>Resin Components</b> in black	instead of white				without surcharge		
27	 <b>V4A   Maritime Edition</b>	all component parts in V4A off-shore stainless steel				198		
28	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible				129		
29	<b>Umbrella Center Pole Reduction</b>	on request				129		
<b>Umbrella Model and Frame with alternative Textile Membrane</b>								
30	<b>Jumbrella WITHOUT valance</b> »Preconstraint 302«	Frame and frame options same as 21-29, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with vinyl coating - 25 colors available   according to color chart   printing possible - B1 certified   flame retardant	fabric weight: approx. 480 g/m <sup>2</sup>	2,015	2,406	2,597	2,854	3,414
31	 <b>Jumbrella WITH valance</b> »Preconstraint 302«	same as 30, but with: - Continuous or split valance possible	valance height: approx. 30 cm	2,239	2,686	2,877	3,156	3,806
32	<b>Jumbrella WITHOUT valance</b> »Sunvas«	same as 30, however: - textile membrane made of »Sunvas«   polyester fabric - distinctive surface feel   printing is not possible	fabric weight: approx. 310 g/m <sup>2</sup>	2,015	2,406	2,597	2,854	3,414
33	<b>Jumbrella WITHOUT valance</b> »ZebraS, Sunvas striped«	same as 32, however: - striped	fabric weight: approx. 310 g/m <sup>2</sup>	2,216	2,646	2,857	3,139	3,755
<b>Original Bahama Textile Membrane for Replacement</b>								
34	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		614	822	917	1,059	1,337
35	<b>WITH valance</b>	made of »betex®05«   polyester fabric		814	1,072	1,167	1,329	1,687
36	<b>WITHOUT valance</b>	made of »Preconstraint 302«   vinyl coated polyester fabric		830	1,080	1,195	1,365	1,703
37	<b>WITH valance</b>	made of »Preconstraint 302«   vinyl coated polyester fabric		1,054	1,360	1,475	1,667	2,095
38	<b>WITHOUT valance</b>	made of »Sunvas«   polyester fabric		830	1,080	1,195	1,365	1,703
39	<b>WITHOUT valance</b>	made of »ZebraS, Sunvas striped«   polyester fabric		913	1,188	1,314	1,501	1,873
<b>Printing</b>								
40	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)				please refer to separate printing price list		

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

# Jumbrella | square

in m


**3 × 3**  
9 m<sup>2</sup>  
8 Spokes

**3.53 × 3.53**  
12 m<sup>2</sup>  
8 Spokes

**4 × 4**  
16 m<sup>2</sup>  
8 Spokes

**4.5 × 4.5**  
20 m<sup>2</sup>  
8 Spokes

**5 × 5**  
25 m<sup>2</sup>  
8 Spokes

No.	Item	Description	Price in €				
<b>Textile Gutter   TVR</b>							
41	<b>Frame Modification for Textile Gutter</b>	- modification of the parasol frame for the attachment of the textile gutter (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	16	16	16	16	16
42	 <b>Textile Gutter</b>	 textile gutter made of »betex®05«   polyester fabric	419	445	478	541	559
43	 <b>Textile Gutter</b>	textile gutter made of »Precontraint 302«   vinyl coated polyester fabric	469	498	536	606	626
44	 <b>Textile Gutter</b>	textile gutter made of »Sunvas«   polyester fabric	469	498	536	606	626
<b>Side Panel</b>							
45	<b>Frame Modification for Side Panel</b>	 - modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	16	16	16	16	16
46	 <b>Side Panel WITHOUT window</b>	 - made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	286	318	358	399	431
47	 <b>Side Panel WITH window</b>	 same as 46, however, with: - flexible window made of transparent film   0.5 mm thickness	286	318	358	399	431
48	<b>Connecting Piece</b>	 - connecting piece for joining 2 parasols - textile with zippers	98	98	98	98	98

Starting on page 16 you will find all other additional features.

# Jumbrella | rectangular

in m	3 × 1.5 4.5 m <sup>2</sup> 8 Spokes	4 × 2 8 m <sup>2</sup> 8 Spokes	4 × 3 12 m <sup>2</sup> 8 Spokes	4.5 × 3 13.5 m <sup>2</sup> 8 Spokes	4.5 × 3.5 15.75 m <sup>2</sup> 8 Spokes	5 × 2.5 12.5 m <sup>2</sup> 8 Spokes	5 × 3 15 m <sup>2</sup> 10 Spokes	5 × 3.75 18.75 m <sup>2</sup> 10 Spokes	5 × 4 20 m <sup>2</sup> 8 Spokes	6 × 3 18 m <sup>2</sup> 10 Spokes	6 × 4 24 m <sup>2</sup> 10 Spokes	6 × 4.5 27 m <sup>2</sup> 12 Spokes
------	---	---------------------------------------	--	--	---	--	---	---	--	---	---	---

No.	Item	Description	Weight/Dimensions Technical Data	Price in €											
<b>Umbrella Model and Frame</b>															
49	<b>Jumbrella WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« - 25 colors available   according to color chart - printing possible - aluminum frame in traffic white   RAL 9016, glossy finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	1,598	1,798	2,098	2,298	2,498	2,198	2,398	2,788	2,788	2,788	3,148	3,988
50	 <b>Jumbrella WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 49, but with: - Continuous or split valance possible	valance height: approx. 30 cm	1,758	1,998	2,338	2,538	2,758	2,438	2,648	3,078	3,078	3,078	3,478	4,368
51	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black		without surcharge											
52	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black		339											
53	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish		339 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order											
54	<b>Resin Components</b> in black	instead of white		without surcharge											
55	 <b>V4A   Maritime Edition</b>	all component parts in V4A off-shore stainless steel		198											
56	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible		129											
57	<b>Umbrella Center Pole Reduction</b>	on request		129											
<b>Umbrella Model and Frame with alternative Textile Membrane</b>															
58	<b>Jumbrella WITHOUT valance</b> »Preconstraint 302«	Frame and frame options same as 49-57, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with vinyl coating - 25 colors available   according to color chart - printing possible - B1 certified   flame retardant	fabric weight: approx. 480 g/m <sup>2</sup>	1,790	2,014	2,350	2,574	2,798	2,462	2,686	3,123	3,123	3,123	3,526	4,467
59	 <b>Jumbrella WITH valance</b> »Preconstraint 302«	same as 58, but with: - Continuous or split valance possible	valance height: approx. 30 cm	1,969	2,238	2,619	2,843	3,089	2,731	2,966	3,447	3,447	3,447	3,895	4,892
60	<b>Jumbrella WITHOUT valance</b> »Sunvas«	same as 58, however: - textile membrane made of »Sunvas«   polyester fabric - distinctive surface feel - printing is not possible	fabric weight: approx. 310 g/m <sup>2</sup>	1,790	2,014	2,350	2,574	2,798	2,462	2,686	3,123	3,123	3,123	3,526	4,467
<b>Original Bahama Textile Membrane for Replacement</b>															
61	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		465	599	812	861	890	861	890	1,028	1,068	982	1,268	1,462
62	<b>WITH valance</b>	made of »betex®05«   polyester fabric		625	799	1,052	1,101	1,150	1,101	1,140	1,318	1,358	1,272	1,598	1,842
63	<b>WITHOUT valance</b>	made of »Preconstraint 302«   vinyl coated polyester fabric		657	815	1,063	1,125	1,190	1,125	1,178	1,363	1,403	1,316	1,646	1,940
64	<b>WITH valance</b>	made of »Preconstraint 302«   vinyl coated polyester fabric		836	1,039	1,332	1,394	1,481	1,394	1,458	1,687	1,727	1,641	2,015	2,366
65	<b>WITHOUT valance</b>	made of »Sunvas«   polyester fabric		657	815	1,063	1,125	1,190	1,125	1,178	1,363	1,403	1,316	1,646	1,940
<b>Printing</b>															
66	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)		please refer to separate printing price list											

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

# Jumbrella | rectangular

in m	3 × 1.5	4 × 2	4 × 3	4.5 × 3	4.5 × 3.5	5 × 2.5	5 × 3	5 × 3.75	5 × 4	6 × 3	6 × 4	6 × 4.5
	4.5 m <sup>2</sup>	8 m <sup>2</sup>	12 m <sup>2</sup>	13.5 m <sup>2</sup>	15.75 m <sup>2</sup>	12.5 m <sup>2</sup>	15 m <sup>2</sup>	18.75 m <sup>2</sup>	20 m <sup>2</sup>	18 m <sup>2</sup>	24 m <sup>2</sup>	27 m <sup>2</sup>
	8 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes	10 Spokes	10 Spokes	8 Spokes	10 Spokes	10 Spokes	12 Spokes

No.	Item	Description	Price in €											
<b>Textile Gutter   TVR</b>														
67	<b>Frame Modification for Textile Gutter</b>	- modification of the parasol frame for the attachment of the textile gutter (all spokes) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	16	16	16	16	16	16	16	16	16	16	16	
68	 <b>Textile Gutter</b>	textile gutter made of »betex®05«   polyester fabric	298 (1.5 m) 419 (3 m)	313 (2 m) 478 (4 m)	419 (3 m) 478 (4 m)	419 (3 m) 541 (4.5 m)	445 (3.5 m) 541 (4.5 m)	367 (2.5 m) 559 (5 m)	419 (3 m) 559 (5 m)	461 (3.75 m) 559 (5 m)	478 (4 m) 559 (5 m)	419 (3 m) 633 (6 m)	478 (4 m) 633 (6 m)	541 (4.5 m) 633 (6 m)
69	 <b>Textile Gutter</b>	textile gutter made of »Precontraint 302«   vinyl coated polyester fabric	328 (1.5 m) 469 (3 m)	350 (2 m) 536 (4 m)	469 (3 m) 536 (4 m)	469 (3 m) 606 (4.5 m)	535 (3.5 m) 606 (4.5 m)	411 (2.5 m) 626 (5 m)	469 (3 m) 626 (5 m)	517 (3.75 m) 626 (5 m)	536 (4 m) 626 (5 m)	469 (3 m) 710 (6 m)	536 (4 m) 710 (6 m)	606 (4.5 m) 710 (6 m)
70	 <b>Textile Gutter</b>	textile gutter made of »Sunvas«   polyester fabric	328 (1.5 m) 469 (3 m)	350 (2 m) 536 (4 m)	469 (3 m) 536 (4 m)	469 (3 m) 606 (4.5 m)	535 (3.5 m) 606 (4.5 m)	411 (2.5 m) 626 (5 m)	469 (3 m) 626 (5 m)	517 (3.75 m) 626 (5 m)	536 (4 m) 626 (5 m)	469 (3 m) 710 (6 m)	536 (4 m) 710 (6 m)	606 (4.5 m) 710 (6 m)
<b>Side Panel</b>														
71	<b>Frame Modification for Side Panel</b>	- modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	16	16	16	16	16	16	16	16	16	16	16	16
72	 <b>Side Panel WITHOUT window</b>	- made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	198 (1.5 m) 286 (3 m)	246 (2 m) 358 (4 m)	286 (3 m) 358 (4 m)	286 (3 m) 399 (4.5 m)	358 (3.5 m) 399 (4.5 m)	267 (2.5 m) 431 (5 m)	286 (3 m) 431 (5 m)	348 (3.75 m) 431 (5 m)	358 (4 m) 431 (5 m)	286 (3 m) 527 (6 m)	358 (4 m) 527 (6 m)	399 (4.5 m) 527 (6 m)
73	 <b>Side Panel WITH window</b>	same as 72, however, with: - flexible window made of transparent film   0.5 mm thickness	198 (1.5 m) 286 (3 m)	246 (2 m) 358 (4 m)	286 (3 m) 358 (4 m)	286 (3 m) 399 (4.5 m)	358 (3.5 m) 399 (4.5 m)	267 (2.5 m) 431 (5 m)	286 (3 m) 431 (5 m)	348 (3.75 m) 431 (5 m)	358 (4 m) 431 (5 m)	286 (3 m) 527 (6 m)	358 (4 m) 527 (6 m)	399 (4.5 m) 527 (6 m)
74	<b>Connecting Piece</b>	- connecting piece for joining 2 parasols - textile with zippers	98	98	98	98	98	98	98	98	98	98	98	98

Starting on page 16 you will find all other additional features.

Remark: The appearance of the items shown in the technical illustrations may vary.

\* for the textile gutter and side panel please indicate the desired color code taken from Bahama color chart.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version. the LARGE-SIZE parasol

# Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Mobile Installation Options</b>				
75	 <b>Portable Stand</b>	 <ul style="list-style-type: none"> <li>- height adjustable (in all 4 corners)</li> <li>- cross-frame hot-dip galvanized and powder coated</li> <li>- in traffic white   RAL 9016, glossy finish or in anthracite grey   RAL 7016, textured matte finish</li> <li>- incl. bright deco concrete slabs</li> <li>- parasol dimension in m</li> </ul>	<ul style="list-style-type: none"> <li>- individual, depending on umbrella model</li> <li>- in accordance with the specified wind warranty</li> </ul>	
		for 3 × 3	850 × 850 mm, approx. 160 kg	<b>598</b>
		for Ø 3   Ø 3.5   Ø 4   3 × 1.5   3.53 × 3.53	1,000 × 1,000 mm, approx. 190 kg	<b>639</b>
		for Ø 4.5   4 × 2   4 × 3   4 × 4   4.5 × 3   4.5 × 3.5	1,000 × 1,000 mm, approx. 240 kg	<b>778</b>
		for Ø 5   4.5 × 4.5   5 × 2.5   5 × 3	1,000 × 1,000 mm, approx. 290 kg	<b>899</b>
		for Ø 5.6   5 × 5   5 × 3.75   5 × 4   6 × 3	1,200 × 1,200 mm, approx. 380 kg	<b>1,398</b>
		for Ø 6.3   Ø 7   6 × 4   6 × 4.5	1,200 × 1,200 mm, approx. 460 kg	<b>1,978</b>
76	 <b>Cross-Frame</b> for 8 flagstones	 <ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- suitable for <b>8</b> standard flagstones 500 × 500 × 50 mm (not included in the price)</li> <li>- for umbrellas up to 21 m<sup>2</sup></li> <li>- without height adjustability (optional: please refer to No. 80)</li> </ul>	<ul style="list-style-type: none"> <li>- cross-frame weight: approx. 28 kg</li> <li>- cross-frame dimensions: 1,130 × 1,130 mm</li> </ul>	<b>398</b>
77	 <b>Cross-Frame</b> for 12 flagstones	<ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- suitable for <b>12</b> standard flagstones 500 × 500 × 50 mm (not included in the price)</li> <li>- for umbrellas starting at 21 m<sup>2</sup></li> <li>- without height adjustability (optional: please refer to No. 80)</li> </ul>	<ul style="list-style-type: none"> <li>- cross-frame weight: approx. 30 kg</li> <li>- cross-frame dimensions: 1,130 × 1,130 mm</li> </ul>	<b>448</b>
78	<b>Powder Coating</b> of cross-frame for 8 or 12 flagstones	in RAL color of umbrella frame	for 8 flagstones for 12 flagstones	<b>178</b> <b>198</b>
79	<b>4 Leveling Feet</b> for height adjustability of cross-frame	 in all 4 corners		<b>98</b>

Remark: The appearance of the items shown in the technical illustrations may vary.

# Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Mobile Installation Options</b>				
80	 <b>Steel Plate Base with</b> <b>4 Steel Plates</b> <b>8 Steel Plates   2 layers</b>	 <ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- screw-on receiving column, tiltable</li> </ul>	<ul style="list-style-type: none"> <li>- dimensions per plate: 490 × 490 × 15 mm</li> <li>- weight per plate: approx. 28 kg (total approx. 120/230 kg)</li> </ul>	<b>1,178</b> <b>1,878</b>
81	 <b>Steel Plate Base with</b> <b>4 Steel Plates</b> <b>8 Steel Plates   2 layers</b>	<ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- screw-on receiving column, tiltable</li> </ul>	<ul style="list-style-type: none"> <li>- dimensions per plate: 740 × 740 × 15 mm</li> <li>- weight per plate: approx. 65.2 kg (total approx. 270/530 kg)</li> </ul>	<b>1,998</b> <b>3,499</b>
82	<b>Powder Coating</b> of 4 Steel Plates	<ul style="list-style-type: none"> <li>- powder coated</li> <li>- in traffic white   RAL 9016, glossy finish</li> <li>- in anthracite grey   RAL 7016, textured matte finish</li> <li>- powder-coated in RAL color of the parasol frame</li> </ul>	dimensions per plate: 490 × 490 × 15 mm 740 × 740 × 15 mm	<b>398</b> <b>478</b>
83	<b>Spacer</b>	 <ul style="list-style-type: none"> <li>short   for steel plates</li> <li>long   for steel plates</li> <li>e.g. for terrace substructures</li> <li>- measurements don't include the steel plate</li> </ul>	<ul style="list-style-type: none"> <li>- height: 89 mm – 350 mm</li> <li>- starting at a height of 351 mm</li> <li>- the 8 mm thick winter cover, which has to be taken into</li> </ul>	<b>289</b> <b>289</b>
84	<b>Spacer for Electrics   Radiator</b>	<ul style="list-style-type: none"> <li>short   for steel plates</li> <li>long   for steel plates</li> <li>e.g. for terrace substructures</li> <li>- required for umbrellas with electro-mechanical options</li> <li>- measurements don't include the steel plate</li> </ul>	<ul style="list-style-type: none"> <li>- height: 89 mm – 350 mm</li> <li>- starting at a height of 351 mm</li> <li>- the 8 mm thick winter cover, which has to be taken into</li> </ul>	<b>329</b> <b>329</b>

Remark: The appearance of the items shown in the technical illustrations may vary.

# Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Permanent Installation Options</b>				
85	 <b>In-Ground Sleeve</b>	 <ul style="list-style-type: none"> <li>- sleeve to be set in concrete, flush-mounting</li> <li>- powder coated above-ground connecting components</li> <li>- in traffic white   RAL 9016, glossy finish or anthracite grey   RAL 7016, textured matte finish</li> <li>- for umbrella with/without electro-mechanical features</li> </ul>	weight: approx. 6 kg	<b>329</b>
86	 <b>In-Ground Tipping Base</b>	 <ul style="list-style-type: none"> <li>- lower part to be set in concrete</li> <li>- powder coated above-ground connecting components with tilting hinge</li> <li>- powder coated center pole sleeve</li> </ul>	weight: approx. 4,8 kg	<b>329</b>
87	 <b>In-Ground Tipping Base Installation WITH electrical connection   Radiator</b>	 <p>same as 86, however:</p> <ul style="list-style-type: none"> <li>- for umbrella with electromechanical features</li> </ul>	weight: approx. 8 kg	<b>398</b>
88	<b>In-Ground Installation Extension</b>	 <ul style="list-style-type: none"> <li>- serves to bridge over a gap e.g. an installation in a Kindergarten sandbox</li> <li>- fulfills DIN EN 1176</li> </ul>	- height: min. 89 mm – max. 392 mm - the 8 mm thick winter cover, which has to be taken into	<b>298</b>

Remark: The appearance of the items shown in the technical illustrations may vary.

# Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Permanent Installation Options</b>				
89	 <b>Octagonal Surface Mount with counter-bores</b>	 <ul style="list-style-type: none"> <li>- hot-dip galvanized and powder coated steel</li> <li>- center pole sleeve is also powder coated</li> <li>- suitable for bolting onto massive concrete ground</li> </ul>	weight: approx. 18 kg	<b>379</b>
90	<b>Optional: »fischer« heavy duty anchoring bolts   1 set = 8 pcs.</b>	<ul style="list-style-type: none"> <li>- type #FH II 15/15 SK A4</li> <li>- M10 thread for surface mount with counter-bores</li> <li>- incl. concrete drill insert type #SDS Plus II, 105 mm drill depth and SW6 Allen wrench</li> </ul>		<b>198</b>
91	 <b>Dual Mounting Console</b>	 <ul style="list-style-type: none"> <li>- combination of in-ground sleeve without electrical connection and octagonal surface mount</li> <li>- Also available for umbrellas with electro-mechanical features and heating</li> <li>- Above-ground connecting components with/without tilting hinge</li> <li>- custom dimensions on request</li> <li>- comes with integrated theft prevention device and cover plate</li> </ul>	- weight: approx. 24 kg - height: min. 89 mm – max. 350 mm - the 8 mm thick winter cover, which has to be taken into	<b>898</b>
92	<b>Connecting Components for »Kriner« Ground Screw</b>	 <ul style="list-style-type: none"> <li>- suitable for KSF F 140x2100-M</li> <li>- rigid, galvanized</li> <li>- incl. center pole sleeve</li> <li>- lockable</li> </ul>	weight: approx. 6.5 kg steel, uncoated	<b>198</b>
93	<b>Connecting Components for »Kriner« Ground Screw</b>	same as 92, but with: <ul style="list-style-type: none"> <li>- tilting hinge</li> </ul>	weight: approx. 9 kg steel, uncoated	<b>298</b>
94	<b>Powder Coating</b> of the connecting plate	<ul style="list-style-type: none"> <li>- powder coated</li> <li>- in traffic white   RAL 9016, glossy finish or anthracite grey   RAL 7016, textured matte finish</li> </ul>	with/without tilting hinge	<b>49</b>

Remark: The appearance of the items shown in the technical illustrations may vary.

# Jumbrella | round, square, rectangular

No.	Item	Description	all models Price in €
<b>Protective Cover</b>			
95	 <b>Protective Cover – basic</b>	made of tent fabric (Nicotarp) with lacing (included when ordering a new umbrella, however, not included when ordering the Protective Cover – comfort)	98
96	 <b>Protective Cover – comfort</b>	 - made of »betex®05«   polyester fabric   9801 - concrete - with zipper for telescopic rod	298
97	 <b>Protective Cover – comfort with telescopic rod</b>	 same as 96, but with: - telescopic rod	375
<b>Impact Protection</b>			
98	 <b>Soft Foam Safeguard</b> for center pole of umbrella	 - round shape, with Velcro - available in 10 colors	248
<b>Lighting</b>			
99	 <b>Lighting</b>	- 4 LED-lamps - light temperature 2700K - 4 × 4 W light power - supply power 240 V (available in US edition - 120 V)	498
<b>LED-Lighting</b>			
100	 <b>LED-Lighting</b> with 2 RGB-LED strips	- 2 RGB-LED strips - indirect RGB-LED lighting 120-240/24V - with remote control - integrated in umbrella spokes - only possible for umbrellas up to 16 m <sup>2</sup>	698
101	 <b>LED-Lighting</b> with 4 RGB-LED strips	- 4 RGB-LED strips - indirect RGB-LED lighting 120-240/24V - with remote control - integrated in umbrella spokes	898
102	 <b>LED-Lighting</b> with 6 RGB-LED strips	same as 101, however: - 6 RGB-LED strips - only possible for umbrella models with 10 spokes	998
103	 <b>LED-Lighting</b> with 8 RGB-LED strips	same as 101, however: - 8 RGB-LED strips - not possible for umbrella models with 10 spokes	1,098

Remark: The appearance of the items shown in the technical illustrations may vary.

# Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Heating</b>				
104	 <b>2 Radiators</b>	 - 2 electric, turnable infrared radiators (available in US edition) - variable via remote control - can remain in closed umbrella - NEW! Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5x2,5 mm <sup>2</sup> PLEASE NOTE: This option is suitable for all portable stands with levelling feet and 3-piece in-ground installation with electrical connection (No. 87) and steel plate base in connection with spacer for electrics (No. 84)	2,000 Watts per radiator	1,698
105	 <b>4 Radiators</b>	same as 104, but with: - 4 electric, turnable infrared radiators	2,000 Watts per radiator	2,198
106	<b>Price Reduction</b> for combination of lighting & radiators	when lighting and radiators are ordered at the same time		-200
<b>Speakers</b>				
107	 <b>Speakers</b>	frame integrated audio system with 1 speaker		price upon request
<b>TV</b>				
108	 <b>TV Frame Modification</b> for 1 TV for 2 TVs	 - turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches - with quick-action slide-in module for easy mounting in umbrella - pre-mounted 230V power socket included (available in US edition - 120 V)		489 978
<b>Wifi</b>				
109	 <b>Wifi Frame Modification</b>	- internal CAT7 wiring - integrated CAT7 RJ45 network interface - integrated in the electric crown unit OPTIONAL: - 240 V socket integrated in the electric crown unit (available in US edition - 120 V) - wifi device		price upon request
110	<b>4 USB Charging Sockets</b>	 - 4 USB charging sockets - installed at height of the tension latches - integrated voltage converter - possible in combination with 2/4 RGB-LED strips and/or heating option		495
111	<b>External Control Unit</b>	- for 99–110 (all electromechanical features) - FI-switch - On/Off switch for each individual electromechanical option		price upon request

Remark: The appearance of the items shown in the technical illustrations may vary.

# Jumbrella Wave | round

in m

**ø 4**  
12 m<sup>2</sup>  
8 Spokes

**ø 4.5**  
15 m<sup>2</sup>  
8 Spokes

**ø 5**  
19 m<sup>2</sup>  
8 Spokes

**ø 5.6**  
24 m<sup>2</sup>  
8 Spokes

**ø 6.3**  
29 m<sup>2</sup>  
8 Spokes

**ø 7**  
36 m<sup>2</sup>  
8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
<b>Umbrella Model and Frame</b>									
112	<b>Jumbrella Wave WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05«   polyester fabric - 25 colors available   according to color chart - printing possible - aluminum frame in traffic white   RAL 9016, glossy finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	<b>2,098</b>	<b>2,528</b>	<b>2,888</b>	<b>3,088</b>	<b>3,798</b>	<b>4,839</b>
113	 <b>Jumbrella Wave WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 112, but with: - straight edged valance	valance height: approx. 30 cm	<b>2,298</b>	<b>2,778</b>	<b>3,158</b>	<b>3,388</b>	<b>4,098</b>	<b>5,239</b>
114	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black					without surcharge		
115	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black					<b>339</b>		
116	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish					<b>339</b>	without surcharge when at least 6 or more umbrellas are ordered under the same purchase order	
117	<b>Resin Components</b> in black	instead of white					without surcharge		
118	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible					<b>129</b>		
119	<b>Umbrella Center Pole Reduction</b>	on request					<b>129</b>		
<b>Original Bahama Textile Membrane for Replacement</b>									
120	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		<b>762</b>	<b>862</b>	<b>1,020</b>	<b>1,226</b>	<b>1,647</b>	<b>1,967</b>
121	<b>WITH valance</b>	made of »betex®05«   polyester fabric		<b>962</b>	<b>1,112</b>	<b>1,290</b>	<b>1,526</b>	<b>1,947</b>	<b>2,367</b>
<b>Printing</b>									
122	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)					please refer to separate printing price list		

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

# Jumbrella Wave | square

in m

**3 × 3**  
9 m<sup>2</sup>  
8 Spokes

**3.53 × 3.53**  
12 m<sup>2</sup>  
8 Spokes

**4 × 4**  
16 m<sup>2</sup>  
8 Spokes

**4.5 × 4.5**  
20 m<sup>2</sup>  
8 Spokes

**5 × 5**  
25 m<sup>2</sup>  
8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €
<b>Umbrella Model and Frame</b>								
123	<b>Jumbrella Wave WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05«   polyester fabric - 25 colors available   according to color chart - printing possible - aluminum frame in traffic white   RAL 9016, glossy finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	<b>2,098</b>	<b>2,528</b>	<b>2,728</b>	<b>2,988</b>	<b>3,498</b>
124	 <b>Jumbrella Wave WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 123, but with: - straight edged valance	valance height: approx. 30 cm	<b>2,298</b>	<b>2,778</b>	<b>2,978</b>	<b>3,258</b>	<b>3,848</b>
125	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black				without surcharge		
126	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black				<b>339</b>		
127	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish				<b>339</b> without surcharge when at least 6 or more umbrellas are ordered under the same purchase order		
128	<b>Resin Components</b> in black	instead of white				without surcharge		
129	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible				<b>129</b>		
130	<b>Umbrella Center Pole Reduction</b>	on request				<b>129</b>		
<b>Original Bahama Textile Membrane for Replacement</b>								
131	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		<b>837</b>	<b>894</b>	<b>946</b>	<b>1,107</b>	<b>1,609</b>
132	<b>WITH valance</b>	made of »betex®05«   polyester fabric		<b>1,037</b>	<b>1,144</b>	<b>1,196</b>	<b>1,377</b>	<b>1,959</b>
<b>Printing</b>								
133	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)				please refer to separate printing price list		

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.  
Textile gutters and side panels can be found on pages 6–7.

# Notes

A large grid of dotted lines for taking notes, spanning the width of the page and extending down to the footer area.



01/2020

**BAHAMA®**