

BAHAMA®

Jumbrella XL
Price List 2020



Jumbrella XL | round, square, rectangular

in m	∅ 7	5 × 5	5.5 × 5.5	6 × 6	7 × 7	6 × 5.14	7 × 5	7 × 6
	37 m ² 12 Spokes	25 m ² 12 Spokes	30.25 m ² 12 Spokes	36 m ² 12 Spokes	49 m ² 12 Spokes	30.84 m ² 12 Spokes	35 m ² 12 Spokes	42 m ² 12 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	
Umbrella Model and Frame*											
1	Jumbrella XL WITHOUT valance »betex®05« polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - 25 colors available according to color chart - printing possible - aluminum frame in traffic white RAL 9016, glossy finish - resin components in white - component parts in V2A stainless steel	- depending on umbrella size - fabric weight: approx. 200 g/m ²	5,998	5,598	5,998	6,598	7,998	6,598	7,498	8,298
2	 Jumbrella XL WITH valance »betex®05« polyester fabric – exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm	6,448	5,998	6,448	7,098	8,698	7,098	8,098	8,998
3	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black		without surcharge							
4	 Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black		459							
5	 Frame Color custom finish	aluminum frame in custom RAL finish		459 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order							
6	Resin Components in black	instead of white		without surcharge							
7	 V4A Maritime Edition	all component parts in V4A off-shore stainless steel		398							
8	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible		149							
9	Umbrella Center Pole Reduction	on request		149							
Umbrella Model and Frame with alternative Textile Membrane*											
10	Jumbrella XL WITHOUT valance »Preconstraint 302«	Frame and frame options same as 1–9, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with vinyl coating - 25 colors available according to color chart - printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m ²	6,718	6,270	6,718	7,390	8,958	7,390	8,388	9,294
11	 Jumbrella XL WITH valance »Preconstraint 302«	same as 10, but with: - straight edged valance	valance height: approx. 30 cm	7,222	6,718	7,222	7,950	9,742	7,950	9,059	10,078
Original Bahama Textile Membrane for Replacement*											
12	WITHOUT valance	made of »betex®05« polyester fabric		2,929	2,564	2,649	2,749	3,294	2,649	2,729	2,998
13	WITH valance	made of »betex®05« polyester fabric		3,379	2,964	3,099	3,249	3,994	3,099	3,329	3,698
14	WITHOUT valance	made of »Preconstraint 302« vinyl coated polyester fabric		3,649	3,236	3,369	3,541	4,254	3,369	3,619	3,994
15	WITH valance	made of »Preconstraint 302« vinyl coated polyester fabric		4,153	3,684	3,873	4,101	5,038	3,873	4,290	4,778
Printing											
16	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)		please refer to separate printing price list							

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Mobile Installation Options				
17	 Portable Stand	 <ul style="list-style-type: none"> - height adjustable (in all 4 corners) - cross-frame hot-dip galvanized and powder coated - incl. bright deco concrete slabs - for umbrellas up to size 6 × 6 m - without wind warranty* 	weight: approx. 460 kg	1,998
18	 Portable Stand	same as 17, however: <ul style="list-style-type: none"> - with wind warranty* - for umbrellas up to size 6 × 6 m 	weight: approx. 540 kg	2,498
19	 Steel Plate Base with 4 Steel Plates	 <ul style="list-style-type: none"> - hot-dip galvanized - screw-on receiving column, tiltable - without wind warranty* 	- dimensions per plate: 740 × 740 × 15 mm - weight per plate: approx. 65.2 kg (total approx. 280 kg)	1,998
20	 Steel Plate Base with 8 Steel Plates 2 layers	same as 19, however: <ul style="list-style-type: none"> - with 8 steel plates - with wind warranty* 	- dimensions per plate: 740 × 740 × 15 mm - weight per plate: approx. 65.2 kg (total approx. 540 kg)	3,498
21	Powder Coating of 4 Steel Plates	<ul style="list-style-type: none"> - in traffic white RAL 9016, glossy finish - in anthracite grey RAL 7016, textured matte finish 	dimensions per plate: 740 × 740 × 15 mm	498
22	Spacer	 <ul style="list-style-type: none"> short for steel plates e.g. for terrace substructures 	height: min. 89 mm – max. 250 mm	459
23	Spacer	long for steel plates	starting at a height of 251 mm	459
24	Spacer for Electrics Radiator	<ul style="list-style-type: none"> short for steel plates long for steel plates 	from 89–250 mm starting at a height of 251 mm	499 499

Remark: The appearance of the items shown in the technical illustrations may vary.

 the **LARGE-SIZE** parasol All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella XL | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
Permanent Installation Options				
25	 In-Ground Installation, tiltable	 <ul style="list-style-type: none"> - lower part to be set in concrete - powder coated above-ground connecting components with tilting hinge - with theft prevention device 	weight: approx. 42 kg	498
26	 In-Ground Installation, tiltable WITH electrical connection Radiator	 <ul style="list-style-type: none"> same as 25, however: - for umbrella with electromechanical features 	weight: approx. 45.5 kg	578
27	In-Ground Installation Extension	 <ul style="list-style-type: none"> - serves to bridge over a gap - e.g. an installation in a Kindergarten sandbox - In-Ground Installation, tiltable (No. 25 and 26) 	- custom height: from 89 up to 400 mm - in accordance with DIN EN 1176	298
28	 2-piece Flat Foot Mount		- dimensions: 620 × 620 × 20 mm - weight: approx. 77.5 kg	1.198
29	 Optional: »fischer« heavy duty anchoring bolts 1 set = 8 pcs.	<ul style="list-style-type: none"> - type #FH II 18/30 SK A4 - M12 thread for 2-piece flat foot mount with counter-bores - incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench 		449

Bahama Wind Warranty*

Bahama grants you, in addition to the legally binding warranties and on the basis of our General Terms and Conditions, a wind warranty for parasols in open condition. The maximum wind velocity depends on the parasol model and the chosen Bahama installation option.

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionately in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.  the **LARGE-SIZE** parasol

Jumbrella XL | square, rectangular

in m	5 x 5 25 m ² 12 Spokes	5.5 x 5.5 30.25 m ² 12 Spokes	6 x 6 36 m ² 12 Spokes	7 x 7 49 m ² 12 Spokes	6 x 5.14 30.84 m ² 12 Spokes	7 x 5 35 m ² 12 Spokes	7 x 6 42 m ² 12 Spokes
------	---	--	---	---	---	---	---

No.	Item	Description	Price in €	Price in €	Price in €				
Textile Gutter TVR*									
30	Frame Modification for Textile Gutter	- modification of the parasol frame for the attachment of the textile gutter (all spokes) - threaded sockets embedded in the spoke profile	91	91	91	91	91	91	91
31	 Textile Gutter	- textile gutter made of »betex®05« polyester fabric	807	861	915	1.067	915 (6 m) 839 (5.14 m)	1.067 (7 m) 807 (5 m)	1.067 (7 m) 915 (6 m)
		- frame modification for the use of textile gutters (diagonal/corner spokes) · modification of the 4 diagonal/corner spokes for the attachment of the textile gutter · threaded sleeves incorporated in the spoke profile	59	59	59	59	59	59	59
		- frame modification for the use of textile gutters (standard/intermediate spokes) · modification per standard/intermediate spoke for the attachment of the textile gutter · spoke profile pre-fitted with eye screw and slot nut (no additional drill hole)	16	16	16	16	16	16	16
32	 Textile Gutter	textile gutter made of »Preconstraint 302« vinyl coated polyester fabric	904	964	1,024	1,195	1,024 (6 m) 939 (5.14 m)	1,195 (7 m) 904 (5 m)	1,195 (7 m) 1,024 (6 m)
Side Panel*									
33	Frame Modification for Side Panel	- frame modification for the use of side panels (diagonal/corner spokes) · modification of the 4 diagonal/corner spokes for the attachment of the side panels · 2 eye screws with threaded pin and connecting sleeve attached to the tension clip	59	59	59	59	59	59	59
		- frame modification for the use of side panels (standard/intermediate spokes) · modification per standard/intermediate spoke for the attachment of the side panel · spoke profile pre-fitted with eye screw and slot nut (no additional drill hole)	16	16	16	16	16	16	16
34	 Side Panel WITHOUT window	- made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	463	498	545	636	545 (6 m) 479 (5.14 m)	636 (7 m) 463 (5 m)	636 (7 m) 545 (6 m)
35	 Side Panel WITH window	same as 34, however, with: - flexible window made of transparent film 0.5 mm thickness	463	498	545	636	545 (6 m) 479 (5.14 m)	636 (7 m) 463 (5 m)	636 (7 m) 545 (6 m)
36	 Connecting Piece	- connecting piece for joining 2 parasols - textile with zippers	119	119	119	119	119	119	119

Remark: The appearance of the items shown in the technical illustrations may vary.

* for the textile gutters and side panels please indicate the desired color code taken from Bahama color chart.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.  the LARGE-SIZE parasol

Jumbrella XL | round, square, rectangular

No.	Item	Description	all models Price in €
Protective Cover			
37	 Protective Cover – comfort	 - made of »betex®05« polyester fabric color 9801 - concrete - with zipper for telescopic rod	369
38	 Protective Cover – comfort with telescopic rod	 same as 37, but with: - telescopic rod	489
Impact Protection			
39	 Soft Foam Safeguard for center pole of umbrella	 - 2-piece design - round shape, with Velcro - available in 10 colors	448
Lighting			
40	 Lighting	- 4 LED-lamps - light temperature 2700 K - 4 × 4 W light power - supply power 240 V (available in US edition - 120 V)	549 549
41	 Lighting	- 6 LED-lamps - light temperature 2700 K - 6 × 4 W light power - supply power 240 V (available in US edition - 120 V)	698 698
LED-Lighting			
42	 LED-Lighting with 8 RGB-LED strips	- 8 RGB-LED strips - indirect RGB-LED lighting 120-240/24 V - with remote control - integrated in umbrella spokes	1,298

Remark: The appearance of the items shown in the technical illustrations may vary.

 the **LARGE-SIZE** parasol All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Jumbrella XL | round, square, rectangular

No.	Item	Description	all models Price in €
Heating			
43	 Radiators	 - 4 electric, turnable infrared radiators (available in US edition) - variable via remote control - can remain in closed umbrella - NEW! Spiral cable inside umbrella pole with 7-pole plug connection for on-site source cable 7 × 1,5 mm ² PLEASE NOTE: This option is suitable for all portable stands with levelling feet and 2-piece in-ground installation with electrical connection (No. 26) and steel plate base in connection with spacer for electrics (No. 24)	2,598 2,598
44	Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time	- 200
Speakers			
45	 Speakers	frame integrated audio system with 1 speaker	price upon request
TV			
46	 TV Frame Modification for 1 TV for 2 TVs	 - turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches - with quick-action slide-in module for easy mounting in umbrella - pre-mounted 230V power socket included (available in US edition - 120 V)	489 978
WLAN			
47	 Wifi Frame Modification	- internal CAT7 wiring - integrated CAT7 RJ45 network interface - integrated in the electric crown unit OPTIONAL: - 240 V socket integrated in the electric crown unit (available in US edition - 120 V) - wifi device	price upon request
48	External Control Unit	- for 40-47 (all electromechanical features) - FI-switch - On/Off switch for each individual electromechanical option	price upon request
Transport Packaging			
49	 Forkliftable Packaging	3 wooden pallets incl. tension straps	98

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.  the **LARGE-SIZE** parasol

Notes

Two large grid areas for notes, each consisting of a 20x20 grid of small dots.



01/2020

BAHAMA®