

# BAHAMA®

Jumbrella  
Price List 2022



# Jumbrella | round

in m    **ø 3** 7 m<sup>2</sup> 8 Spokes    **ø 3.5** 9.6 m<sup>2</sup> 8 Spokes    **ø 4** 12 m<sup>2</sup> 8 Spokes    **ø 4.5** 15 m<sup>2</sup> 8 Spokes    **ø 5** 19 m<sup>2</sup> 8 Spokes    **ø 5.6** 24 m<sup>2</sup> 8 Spokes    **ø 6.3** 29 m<sup>2</sup> 8 Spokes    **ø 7** 36 m<sup>2</sup> 8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €				
<b>Umbrella Model and Frame</b>											
1	<b>Jumbrella WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05«   polyester fabric - 25 colors available   according to color chart   printing possible - aluminum frame in traffic white   RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	1,798	1,898	2,038	2,378	2,778	3,278	3,638	4,658
2	 <b>Jumbrella WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm	1,968	2,088	2,248	2,638	3,058	3,588	3,948	5,048
3	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black						without surcharge			
4	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black						408			
5	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish						408	without surcharge when at least 6 or more umbrellas are ordered under the same purchase order		
6	<b>Resin Components</b> in black	instead of white						without surcharge			
7	 <b>V4A   Maritime Edition</b>	all component parts in V4A off-shore stainless steel						228			
8	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible						148			
9	<b>Umbrella Center Pole Reduction</b>	on request						148			
<b>Umbrella Model and Frame with alternative Textile Membrane</b>											
10	<b>Jumbrella WITHOUT valance</b> »Precontraint 302«	Frame and frame options same as 1–9, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available   according to color chart   printing possible - B1 certified   flame retardant	fabric weight: approx. 480 g/m <sup>2</sup>	2,068	2,183	2,344	2,735	3,195	3,769	4,184	5,357
11	 <b>Jumbrella WITH valance</b> »Precontraint 302«	same as 10, but with: - straight edged valance	valance height: approx. 30 cm	2,263	2,401	2,585	3,034	3,517	4,126	4,540	5,805
12	<b>Jumbrella WITHOUT valance</b> »Sunvas«*	same as 10, however: - textile membrane made of »Sunvas«*   polyester fabric - distinctive surface feel   printing is not possible	fabric weight: approx. 310 g/m <sup>2</sup>	2,068	2,183	2,344	2,735	3,195	3,769	4,184	5,357
13	<b>Jumbrella WITHOUT valance</b> »ZebraS, Sunvas striped«*	same as 12, however: - striped	fabric weight: approx. 310 g/m <sup>2</sup>	2,263	2,401	2,585	3,034	3,517	4,126	4,540	5,805
<b>Original Bahama Textile Membrane for Replacement</b>											
14	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		557	629	773	910	1,028	1,263	1,571	1,571
15	<b>WITH valance</b>	made of »betex®05«   polyester fabric		727	819	983	1,170	1,308	1,573	1,881	1,961
16	<b>WITHOUT valance</b>	made of »Precontraint 302«   PVC coated polyester fabric		827	914	1,079	1,267	1,444	1,755	2,117	2,270
17	<b>WITH valance</b>	made of »Precontraint 302«   PVC coated polyester fabric		1,022	1,132	1,320	1,566	1,766	2,112	2,473	2,718
18	<b>WITHOUT valance</b>	made of »Sunvas«*   polyester fabric		827	914	1,079	1,267	1,444	1,755	2,117	2,270
19	<b>WITHOUT valance</b>	made of »ZebraS, Sunvas striped«*   polyester fabric		1,022	1,132	1,320	1,566	1,766	2,112	2,473	2,718
<b>Printing</b>											
20	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)							please refer to separate printing price list		

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

# Jumbrella | square

in m

**3 × 3**  
9 m<sup>2</sup>  
8 Spokes

**3.5 × 3.5**  
12 m<sup>2</sup>  
8 Spokes

**4 × 4**  
16 m<sup>2</sup>  
8 Spokes

**4.5 × 4.5**  
20 m<sup>2</sup>  
8 Spokes

**5 × 5**  
25 m<sup>2</sup>  
8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €
<b>Umbrella Model and Frame</b>								
21	<b>Jumbrella WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05«   polyester fabric - 25 colors available   according to color chart   printing possible - aluminum frame in traffic white   RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	<b>2,038</b>	<b>2,438</b>	<b>2,638</b>	<b>2,898</b>	<b>3,468</b>
22	 <b>Jumbrella WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 21, but with: - Continuous or split valance possible	valance height: approx. 30 cm	<b>2,248</b>	<b>2,698</b>	<b>2,898</b>	<b>3,178</b>	<b>3,828</b>
23	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black				without surcharge		
24	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black				<b>408</b>		
25	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish				<b>408</b> without surcharge when at least 6 or more umbrellas are ordered under the same purchase order		
26	<b>Resin Components</b> in black	instead of white				without surcharge		
27	 <b>V4A   Maritime Edition</b>	all component parts in V4A off-shore stainless steel				<b>228</b>		
28	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible				<b>148</b>		
29	<b>Umbrella Center Pole Reduction</b>	on request				<b>148</b>		
<b>Umbrella Model and Frame with alternative Textile Membrane</b>								
30	<b>Jumbrella WITHOUT valance</b> »Preconstraint 302«	Frame and frame options same as 21-29, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available   according to color chart   printing possible - B1 certified   flame retardant	fabric weight: approx. 480 g/m <sup>2</sup>	<b>2,344</b>	<b>2,804</b>	<b>3,034</b>	<b>3,333</b>	<b>3,988</b>
31	 <b>Jumbrella WITH valance</b> »Preconstraint 302«	same as 30, but with: - Continuous or split valance possible	valance height: approx. 30 cm	<b>2,585</b>	<b>3,103</b>	<b>3,333</b>	<b>3,655</b>	<b>4,402</b>
32	<b>Jumbrella WITHOUT valance</b> »Sunvas«*	same as 30, however: - textile membrane made of »Sunvas«*   polyester fabric - distinctive surface feel   printing is not possible	fabric weight: approx. 310 g/m <sup>2</sup>	<b>2,344</b>	<b>2,804</b>	<b>3,034</b>	<b>3,333</b>	<b>3,988</b>
33	<b>Jumbrella WITHOUT valance</b> »ZebraS, Sunvas striped«*	same as 32, however: - striped	fabric weight: approx. 310 g/m <sup>2</sup>	<b>2,585</b>	<b>3,103</b>	<b>3,333</b>	<b>3,655</b>	<b>4,402</b>
<b>Original Bahama Textile Membrane for Replacement</b>								
34	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		<b>660</b>	<b>884</b>	<b>985</b>	<b>1,138</b>	<b>1,437</b>
35	<b>WITH valance</b>	made of »betex®05«   polyester fabric		<b>870</b>	<b>1,144</b>	<b>1,245</b>	<b>1,418</b>	<b>1,797</b>
36	<b>WITHOUT valance</b>	made of »Preconstraint 302«   PVC coated polyester fabric		<b>966</b>	<b>1,249</b>	<b>1,381</b>	<b>1,573</b>	<b>1,957</b>
37	<b>WITH valance</b>	made of »Preconstraint 302«   PVC coated polyester fabric		<b>1,207</b>	<b>1,548</b>	<b>1,680</b>	<b>1,895</b>	<b>2,371</b>
38	<b>WITHOUT valance</b>	made of »Sunvas«*   polyester fabric		<b>966</b>	<b>1,249</b>	<b>1,381</b>	<b>1,573</b>	<b>1,957</b>
39	<b>WITHOUT valance</b>	made of »ZebraS, Sunvas striped«*   polyester fabric		<b>1,207</b>	<b>1,548</b>	<b>1,680</b>	<b>1,895</b>	<b>2,371</b>
<b>Printing</b>								
40	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)				please refer to separate printing price list		

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

# Jumbrella | square

in m

**3 × 3**  
9 m<sup>2</sup>  
8 Spokes

**3.5 × 3.5**  
12 m<sup>2</sup>  
8 Spokes

**4 × 4**  
16 m<sup>2</sup>  
8 Spokes

**4.5 × 4.5**  
20 m<sup>2</sup>  
8 Spokes

**5 × 5**  
25 m<sup>2</sup>  
8 Spokes

No.	Item	Description	Price in €				
<b>Textile Gutter   TVR</b>							
41	<b>Frame Modification for Textile Gutter</b>	- modification of the parasol frame for the attachment of the textile gutter (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	18	18	18	18	18
42	 <b>Textile Gutter</b> 	textile gutter made of »betex®05«   polyester fabric	524	557	598	677	699
43	 <b>Textile Gutter</b>	textile gutter made of »Precontraint 302«   PVC coated polyester fabric	587	623	671	759	784
44	 <b>Textile Gutter</b>	textile gutter made of »Sunvas«*   polyester fabric	587	623	671	759	784
<b>Side Panel</b>							
45	<b>Frame Modification for Side Panel</b> 	- modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	18	18	18	18	18
46	 <b>Side Panel WITHOUT window</b> 	- made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	336	373	420	467	505
47	 <b>Side Panel WITHOUT window WITH door on right or left</b>	same as 46, however, with: - roll-up door	476	513	560	607	645
48	 <b>Side Panel WITH window</b> 	same as 46, however, with: - flexible window made of transparent film   0.5 mm thickness	351	391	440	490	530
49	 <b>Side Panel WITH window WITH door on right or left</b>	same as 48, however, with: - roll-up door	491	531	580	630	670
50	<b>Connecting Piece</b> 	- connecting piece for joining 2 parasols - textile with zippers	118	118	118	118	118

Starting on page 16 you will find all other additional features.

# Jumbrella | rectangular

in m	3 × 1.5 4.5 m <sup>2</sup> 8 Spokes	4 × 2 8 m <sup>2</sup> 8 Spokes	4 × 3 12 m <sup>2</sup> 8 Spokes	4.5 × 3 13.5 m <sup>2</sup> 8 Spokes	4.5 × 3.5 15.75 m <sup>2</sup> 8 Spokes	5 × 2.5 12.5 m <sup>2</sup> 8 Spokes	5 × 3 15 m <sup>2</sup> 10 Spokes	5 × 3.75 18.75 m <sup>2</sup> 10 Spokes	5 × 4 20 m <sup>2</sup> 8 Spokes	6 × 3 18 m <sup>2</sup> 10 Spokes	6 × 4 24 m <sup>2</sup> 10 Spokes	6 × 4.5 27 m <sup>2</sup> 12 Spokes
------	---	---------------------------------------	--	--	---	--	---	---	--	---	---	---

No.	Item	Description	Weight/Dimensions Technical Data	Price in €											
<b>Umbrella Model and Frame</b>															
51	<b>Jumbrella WITHOUT valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05« - 25 colors available   according to color chart - printing possible - aluminum frame in traffic white   RAL 9016, textured matte finish - resin components in white - component parts in V2A stainless steel - incl. protective cover with lacing, made of tent fabric (Nicotarp)	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	1,798	2,038	2,378	2,598	2,838	2,498	2,728	3,178	3,178	3,178	3,578	4,528
52	 <b>Jumbrella WITH valance</b> »betex®05«   polyester fabric – exclusively crafted for Bahama	same as 51, but with: - Continuous or split valance possible	valance height: approx. 30 cm	1,968	2,248	2,628	2,848	3,098	2,748	2,988	3,478	3,478	3,478	3,918	4,918
53	 <b>Frame Color</b> anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black		without surcharge											
54	 <b>Frame Color</b> wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black		408											
55	 <b>Frame Color</b> custom finish	aluminum frame in custom RAL finish		408 without surcharge when at least 6 or more umbrellas are ordered under the same purchase order											
56	<b>Resin Components</b> in black	instead of white		without surcharge											
57	 <b>V4A   Maritime Edition</b>	all component parts in V4A off-shore stainless steel		228											
58	<b>Umbrella Center Pole Extension</b>	depending on the model, up to 50 cm are possible		148											
59	<b>Umbrella Center Pole Reduction</b>	on request		148											
<b>Umbrella Model and Frame with alternative Textile Membrane</b>															
60	<b>Jumbrella WITHOUT valance</b> »Preconstraint 302«	Frame and frame options same as 49-57, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available   according to color chart - printing possible - B1 certified   flame retardant	fabric weight: approx. 480 g/m <sup>2</sup>	2,068	2,344	2,735	2,988	3,264	2,873	3,137	3,655	3,655	3,655	4,115	5,207
61	 <b>Jumbrella WITH valance</b> »Preconstraint 302«	same as 60, but with: - Continuous or split valance possible	valance height: approx. 30 cm	2,263	2,585	3,023	3,275	3,563	3,160	3,436	4,000	4,000	4,000	4,506	5,656
62	<b>Jumbrella WITHOUT valance</b> »Sunvas«*	same as 60, however: - textile membrane made of »Sunvas«*   polyester fabric - distinctive surface feel - printing is not possible	fabric weight: approx. 310 g/m <sup>2</sup>	2,068	2,344	2,735	2,988	3,264	2,873	3,137	3,655	3,655	3,655	4,115	5,207
<b>Original Bahama Textile Membrane for Replacement</b>															
63	<b>WITHOUT valance</b>	made of »betex®05«   polyester fabric		500	644	873	926	957	926	957	1,105	1,148	1,055	1,363	1,571
64	<b>WITH valance</b>	made of »betex®05«   polyester fabric		670	854	1,123	1,176	1,217	1,176	1,217	1,405	1,448	1,355	1,703	1,961
65	<b>WITHOUT valance</b>	made of »Preconstraint 302«   PVC coated polyester fabric		770	950	1,229	1,315	1,382	1,300	1,366	1,582	1,625	1,532	1,900	2,250
66	<b>WITH valance</b>	made of »Preconstraint 302«   PVC coated polyester fabric		965	1,192	1,517	1,603	1,681	1,588	1,665	1,927	1,970	1,877	2,291	2,699
67	<b>WITHOUT valance</b>	made of »Sunvas«*   polyester fabric		770	950	1,229	1,315	1,382	1,300	1,366	1,582	1,625	1,532	1,900	2,250
<b>Printing</b>															
68	 <b>Printing</b>	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)		please refer to separate printing price list											

Starting on page 12 you will find all installation options (mobile & permanent) as well as all additional features.

# Jumbrella | rectangular

in m	3 × 1.5 4.5 m <sup>2</sup> 8 Spokes	4 × 2 8 m <sup>2</sup> 8 Spokes	4 × 3 12 m <sup>2</sup> 8 Spokes	4.5 × 3 13.5 m <sup>2</sup> 8 Spokes	4.5 × 3.5 15.75 m <sup>2</sup> 8 Spokes	5 × 2.5 12.5 m <sup>2</sup> 8 Spokes	5 × 3 15 m <sup>2</sup> 10 Spokes	5 × 3.75 18.75 m <sup>2</sup> 10 Spokes	5 × 4 20 m <sup>2</sup> 8 Spokes	6 × 3 18 m <sup>2</sup> 10 Spokes	6 × 4 24 m <sup>2</sup> 10 Spokes	6 × 4.5 27 m <sup>2</sup> 12 Spokes
------	---	---------------------------------------	--	--	---	--	---	---	--	---	---	---

No.	Item	Description	Price in €												
<b>Textile Gutter   TVR</b>															
69	<b>Frame Modification for Textile Gutter</b>	- modification of the parasol frame for the attachment of the textile gutter (all spokes) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	18	18	18	18	18	18	18	18	18	18	18		
70	 <b>Textile Gutter</b>	textile gutter made of »betex®05«   polyester fabric	short side long side	374 524	390 598	524 598	524 677	557 677	458 699	524 699	577 699	598 699	524 792	598 792	677 792
71	 <b>Textile Gutter</b>	textile gutter made of »Prestraint 302«   PVC coated polyester fabric	short side long side	410 587	438 671	587 671	587 759	623 759	514 784	587 784	647 784	671 784	587 889	671 889	759 889
72	 <b>Textile Gutter</b>	textile gutter made of »Sunvas«*   polyester fabric	short side long side	410 587	438 671	587 671	587 759	623 759	514 784	587 784	647 784	671 784	587 889	671 889	759 889
<b>Side Panel</b>															
73	<b>Frame Modification for Side Panel</b>	- modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	18	18	18	18	18	18	18	18	18	18	18	18	18
74	 <b>Side Panel WITHOUT window</b>	- made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	short side long side	232 336	288 420	336 420	336 467	373 467	312 505	336 505	407 505	420 505	336 617	420 617	467 617
75	 <b>Side Panel WITHOUT window WITH door on right or left</b>	same as 74, however, with: - roll-up door	short side long side	372 476	428 560	476 560	476 607	537 706	452 645	476 645	547 645	560 645	484 757	560 757	706 757
76	 <b>Side Panel WITH window</b>	same as 74, however, with: - flexible window made of transparent film   0.5 mm thickness	short side long side	244 351	313 440	351 440	351 490	391 490	327 530	351 530	428 530	440 530	351 648	440 648	490 648
77	 <b>Side Panel WITH window WITH door on right or left</b>	same as 76, however, with: - roll-up door	short side long side	384 491	453 580	491 580	491 630	563 706	467 670	491 670	568 670	580 670	491 788	580 788	706 788
78	<b>Connecting Piece</b>	- connecting piece for joining 2 parasols - textile with zippers	118	118	118	118	118	118	118	118	118	118	118	118	118

Starting on page 16 you will find all other additional features.

# Jumbrella | round, square, rectangular



No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Mobile Installation Options</b>				
79	 <b>Portable Stand</b>	<ul style="list-style-type: none"> <li>- height adjustable (in all 4 corners)</li> <li>- cross-frame hot-dip galvanized and powder coated</li> <li>- in traffic white   RAL 9016, textured matte finish or in anthracite grey   RAL 7016, textured matte finish</li> <li>- incl. bright deco concrete slabs</li> <li>- parasol dimension in m</li> </ul>	<ul style="list-style-type: none"> <li>- individual, depending on umbrella model</li> <li>- in accordance with the specified wind warranty</li> </ul>	
				
		für Ø 3   Ø 3.5   Ø 4   3 × 1.5   3 × 3   3.5 × 3.5	1,000 × 1,000 mm, approx. 190 kg	<b>728</b>
		für Ø 4.5   4 × 2   4 × 3   4 × 4   4.5 × 3   4.5 × 3.5	1,000 × 1,000 mm, approx. 240 kg	<b>888</b>
		für Ø 5   4.5 × 4.5   5 × 2.5   5 × 3	1,000 × 1,000 mm, approx. 290 kg	<b>1,028</b>
		für Ø 5.6   5 × 5   5 × 3.75   5 × 4   6 × 3	1,200 × 1,200 mm, approx. 380 kg	<b>1,588</b>
		für Ø 6.3   Ø 7   6 × 4   6 × 4.5	1,200 × 1,200 mm, approx. 460 kg	<b>2,248</b>
80	 <b>Cross-Frame</b> for 8 flagstones	<ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- suitable for <b>8</b> standard flagstones 500 × 500 × 50 mm (not included in the price)</li> <li>- for umbrellas up to 21 m<sup>2</sup></li> <li>- without height adjustability (optional: please refer to No. 79)</li> </ul>	<ul style="list-style-type: none"> <li>- cross-frame weight: approx. 28 kg</li> <li>- cross-frame dimensions: 1,130 × 1,130 mm</li> </ul>	<b>458</b>
				
81	 <b>Cross-Frame</b> for 12 flagstones	<ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- suitable for <b>12</b> standard flagstones 500 × 500 × 50 mm (not included in the price)</li> <li>- for umbrellas starting at 21 m<sup>2</sup></li> <li>- without height adjustability (optional: please refer to No. 79)</li> </ul>	<ul style="list-style-type: none"> <li>- cross-frame weight: approx. 30 kg</li> <li>- cross-frame dimensions: 1,130 × 1,130 mm</li> </ul>	<b>498</b>
				
82	<b>Powder Coating</b> of cross-frame for 8 or 12 flagstones	in RAL color of umbrella frame	for 8 flagstones for 12 flagstones	<b>198</b> <b>228</b>
83	 <b>4 Leveling Feet</b> for height adjustability of cross-frame	in all 4 corners		<b>98</b>
				

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

# Jumbrella | round, square, rectangular



No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Mobile Installation Options</b>				
84	 <b>Steel Plate Base with 4 Steel Plates</b> 8 Steel Plates   2 layers	<ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- screw-on receiving column, tiltable</li> </ul>	<ul style="list-style-type: none"> <li>- dimensions per plate: 490 × 490 × 15 mm</li> <li>- weight per plate: approx. 28 kg (total approx. 120/230 kg)</li> </ul>	<b>1,348</b> <b>2,118</b>
				
85	 <b>Steel Plate Base with 4 Steel Plates</b> 8 Steel Plates   2 layers	<ul style="list-style-type: none"> <li>- hot-dip galvanized</li> <li>- screw-on receiving column, tiltable</li> </ul>	<ul style="list-style-type: none"> <li>- dimensions per plate: 740 × 740 × 15 mm</li> <li>- weight per plate: approx. 65.2 kg (total approx. 270/530 kg)</li> </ul>	<b>2,278</b> <b>3,988</b>
				
86	<b>Powder Coating</b> of 4 Steel Plates	<ul style="list-style-type: none"> <li>- powder coated</li> <li>- in traffic white   RAL 9016, textured matte finish</li> <li>- in anthracite grey   RAL 7016, textured matte finish</li> <li>- powder-coated in RAL color of the parasol frame</li> </ul>	<ul style="list-style-type: none"> <li>dimensions per plate: 490 × 490 × 15 mm</li> <li>740 × 740 × 15 mm</li> </ul>	<b>458</b> <b>548</b>
				
87	<b>Spacer</b>	for steel plates e.g. for terrace substructures - measurements don't include the steel plate	<ul style="list-style-type: none"> <li>- height: 89 mm – 392 mm</li> <li>- the 8 mm thick winter cover, which has to be taken into account</li> </ul>	<b>328</b>
				
88	<b>Spacer for Electrics   Radiator</b>	for steel plates e.g. for terrace substructures - required for umbrellas with electromechanical options - measurements don't include the steel plate	<ul style="list-style-type: none"> <li>- height: 89 mm – 392 mm</li> <li>- the 8 mm thick winter cover, which has to be taken into account</li> </ul>	<b>368</b>
				

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

# Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Permanent Installation Options</b>				
89	 <b>In-Ground Sleeve</b>	 <ul style="list-style-type: none"> <li>- sleeve to be set in concrete, flush-mounting</li> <li>- powder coated above-ground connecting components</li> <li>- in traffic white   RAL 9016, textured matte finish or anthracite grey   RAL 7016, textured matte finish</li> <li>- for umbrella with/without electromechanical features</li> </ul>	weight: approx. 6 kg	<b>368</b>
90	 <b>In-Ground Tipping Base</b>	 <ul style="list-style-type: none"> <li>- lower part to be set in concrete</li> <li>- powder coated above-ground connecting components with tilting hinge</li> <li>- powder coated center pole sleeve</li> </ul>	weight: approx. 4,8 kg	<b>368</b>
91	 <b>In-Ground Tipping Base Installation WITH electrical connection   Radiator</b>	 <p>same as 90, however:</p> <ul style="list-style-type: none"> <li>- for umbrella with electromechanical features</li> </ul>	weight: approx. 8 kg	<b>458</b>
92	<b>In-Ground Installation Extension</b>	 <ul style="list-style-type: none"> <li>- serves to bridge over a gap e.g. an installation in a Kindergarten sandbox</li> </ul>	<ul style="list-style-type: none"> <li>- height: min. 89 mm – max. 392 mm</li> <li>- the 8 mm thick winter cover, which has to be taken into account</li> </ul>	<b>338</b>

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

# Jumbrella | round, square, rectangular

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Permanent Installation Options</b>				
93	 <b>Octagonal Surface Mount with counter-bores</b>	 <ul style="list-style-type: none"> <li>- powder coated in RAL color of the umbrella frame</li> <li>- connecting components with tilting hinge</li> <li>- suitable for bolting onto massive concrete ground</li> </ul> <b>OPTIONAL</b> <ul style="list-style-type: none"> <li>- with receiving column welded onto surface mount</li> </ul>	weight: approx. 18 kg	<b>438</b>
94	<b>Optional: »fischer« heavy duty anchoring bolts   1 set = 8 pcs.</b>	<ul style="list-style-type: none"> <li>- type #FH II 15/15 SK A4</li> <li>- M10 thread for surface mount with counter-bores</li> <li>- incl. concrete drill insert type #SDS Plus II, 105 mm drill depth and SW6 Allen wrench</li> </ul>		<b>228</b>
95	 <b>Dual Mounting Console</b>	 <ul style="list-style-type: none"> <li>- Octagonal Surface Mount with spacer and tilting hinge</li> <li>- custom dimensions on request</li> <li>- comes with integrated theft prevention device and cover plate</li> </ul> <b>OPTIONAL</b> <ul style="list-style-type: none"> <li>- with welded-on spacer for connecting components of in-ground sleeve (non-tiltable version)</li> <li>- also available for umbrellas with electromechanical options</li> </ul>	<ul style="list-style-type: none"> <li>- weight: approx. 24 kg</li> <li>- height: min. 89 mm – max. 392 mm</li> <li>- plus 8 mm winter cover</li> </ul>	<b>808</b>
96	<b>Adaptation Plate for »Krinner« Ground Screw</b>	 <ul style="list-style-type: none"> <li>- suitable for »Krinner« KSF F 140x1600-M Ground Screw, no concrete foundation necessary</li> <li>- for tiltable connecting components used for Tipping Base</li> <li>- height adjustable</li> <li>- incl. screws for fastening and leveling on the Krinner Ground Screw</li> <li>- with cover plate</li> </ul>	weight: approx. 6 kg galvanized steel	<b>228</b>

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

# Jumbrella | round, square, rectangular

No.	Item	Description	all models Price in €
<b>Protective Cover</b>			
97	 <b>Protective Cover –basic</b>	made of tent fabric (Nicotarp) with lacing (included when ordering a new umbrella, however, not included when ordering the Protective Cover – comfort)	118
98	 <b>Protective Cover –comfort</b>	 - made of »betex®05«   polyester fabric   9801 - concrete - with zipper for telescopic rod	338
99	 <b>Protective Cover – comfort with telescopic rod</b>	 same as 98, but with: - telescopic rod	418
<b>Impact Protection</b>			
100	 <b>Soft Foam Safeguard</b> for center pole of umbrella	 - round shape, with Velcro - available in 10 colors	288
<b>Lighting</b>			
101	 <b>Lighting</b>	- 4 LED-lamps - light temperature 2700K - 4 × 4 W light power - supply power 240 V (available in US edition - 120 V)	548
<b>LED-Lighting</b>			
102	 <b>LED-Lighting</b> with 2 RGBW-LED strips	- 2 RGBW-LED strips - indirect RGB-LED lighting 120-240/24V - with remote control - integrated in umbrella spokes - only possible for umbrellas up to 16 m <sup>2</sup>	768
103	 <b>LED-Lighting</b> with 4 RGBW-LED strips	- 4 RGBW-LED strips - indirect RGBW-LED lighting 120-240/24V - with remote control - integrated in umbrella spokes	998
104	 <b>LED-Lighting</b> with 6 RGBW-LED strips	same as 99, however: - 6 RGBW-LED strips - only possible for umbrella models with 10 spokes	1,098
105	 <b>LED-Lighting</b> with 8 RGBW-LED strips	same as 99, however: - 8 RGBW-LED strips - not possible for umbrella models with 10 spokes	1,198

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

# Jumbrella | round, square, rectangular


No.	Item	Description	all models Price in €
<b>Heating</b>			
106	 <b>2 Radiators</b>	 - 2 electric, turnable infrared radiators (available in US edition) - 1,500 Watts per radiator - variable via remote control - can remain in closed umbrella - Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm <sup>2</sup> PLEASE NOTE: This option is suitable for all portable stands with levelling feet and 2-piece in-ground installation with electrical connection (No. 91) and steel plate base in connection with spacer for electrics (No. 88)	1,945
107	 <b>4 Radiators</b>	same as 106, but with: - 4 electric, turnable infrared radiators	2,605
108	<b>Price Reduction</b> for combination of lighting & radiators	when lighting and radiators are ordered at the same time	-200
<b>Speakers</b>			
109	 <b>Speakers</b>	frame integrated audio system with 1 speaker	price upon request
<b>TV</b>			
110	 <b>TV Frame Modification</b> for 1 TV for 2 TVs	- turnable TV-mounting console for VESA-Norm 200, max. screen size 32 inches - with quick-action slide-in module for easy mounting in umbrella - pre-mounted 230V power socket included (available in US edition - 120 V) - CAT7 wiring inside the umbrella pole	548 1,078
<b>Wifi</b>			
111	 <b>Wifi Frame Modification</b>	- only possible in combination with LED-Lighting option - internal CAT7 wiring - integrated CAT7 RJ45 network interface to be connected inside the in-ground installation - internal power supply of the 24V DC router - Wifi Outdoor Access Point TP-Link EAP110 mounted onto center pole via weatherproof case	1,308
112	 <b>4 USB Charging Sockets</b>	 - 4 USB charging sockets - installed at height of the tension latches - integrated voltage converter - possible in combination with 2/4 RGB-LED strips and/or heating option	548
113	<b>External Control Unit</b>	- for 101–112 (all electromechanical features) - FI-switch - On/Off switch for each individual electromechanical option	price upon request

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

# Notes

Two large grid areas for notes, one on page 18 and one on page 19. Each grid consists of a 20x20 array of small dots.



01/2022

**BAHAMA®**